

# ATHLEGEN

## Massage & Natural Therapies Range



1800 813 000  
[www.athlegen.com.au](http://www.athlegen.com.au)  
[sales@athlegen.com](mailto:sales@athlegen.com)



"The table is perfect and I am really happy with the quality, material and colour. Athlegen made the whole process incredibly simple and efficient and delivered on time."

CAROLYN AUSTIN

## Value-Lift: Massage

Designed to fulfil the basic requirements of remedial and relaxation massage. The power-driven height adjustment provides greater access for elderly and incapacitated patients while also achieving an ergonomic working platform for the practitioner.

## PRODUCT INFORMATION



### ADJUSTABLE HEAD CRADLE & ARMREST

The integrated gas-assisted head cradle and armrest can be adjusted to your preferred angle for superb patient comfort.



### DANISH DESIGNED LINAK ACTUATOR

All Value-Lift tables feature a Danish actuator by Linak which is manufactured to our strict quality control. All products are inspected and checked by Athlegen when they arrive in Australia.



### STAINLESS STEEL FOOTSWITCH

The table comes with a sturdy footswitch made with a stainless steel body. Order an additional footswitch to control the height from either side of the table.



### TOP SHAPE

The contoured top increases access to the centre of the table. The curved shoulder section allows patients to comfortably access the armrest.



### ADJUSTABLE FLOOR-LEVELLING FEET

The table sits securely on four solid supports that can be adjusted for an uneven floor.





### RETRACTABLE WHEELS

The foot operated retractable wheel system allows for easy manoeuvrability when moving the table. When not in use the wheels retract to provide a stable solid base.

## KEY SPECIFICATIONS

|                          |                                                                                                                                                                               |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CUSHIONING</b>        | 60mm, medium finish                                                                                                                                                           |
| <b>UPHOLSTERY</b>        | Semi-PU fabric                                                                                                                                                                |
| <b>ADJUSTMENTS</b>       | Head cradle: +30° to -30°                                                                                                                                                     |
| <b>SAFE WORKING LOAD</b> | 165kg                                                                                                                                                                         |
| <b>MOTOR</b>             | Origin: PRC<br>Design: Linak Denmark<br>Lift force: 6,000N<br>Speed: 12mm/sec<br>Height adjustment (min to max): 295mm in 26 seconds<br>Speed test load: 165kg                |
| <b>FOOTSWITCH</b>        | Single or optional dual footswitches (one on each side of the table)<br>Origin: PRC<br>Stainless steel<br>Power control                                                       |
| <b>SHIPPING</b>          | 1910 x 770 x 720mm<br>74kg                                                                                                                                                    |
| <b>WARRANTY</b>          | Structural: 5 years<br>Hardware: 3 years<br>Motor: 2 years<br>Control box: 2 years<br>Footswitch: 2 years<br>Gas strut: 2 years<br>Upholstery: To arrive in perfect condition |





"The more I study and see Athlegen products, the more I love them. I have an Access table in my practice ... nothing compares to it."

GITTA WRIGHT

## Pro-Lift: Access Standard

The table of choice for many professional bodywork therapists. Features an ergonomically designed contoured top, an integrated head cradle with armrest, and an exceptional height range.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:





**ADJUSTABLE HEAD CRADLE & ARMREST**

The integrated sturdy head cradle and armrest can be adjusted to your preferred angle for superb patient comfort.



**EXTENDABLE FOOTREST**

The footrest can be extended to create a tabletop of over two meters. Ideal ankle support for patients of diverse stature.



**BASE STYLE**

Choose between our Standard base with concealed in-line wheels and floor-levelling feet or our lockable Castor base for easy manoeuvrability. All wheels feature TPE rubber compound tread to protect your floors.



**OPTIONAL REMOVABLE ARMREST**

The removable armrest allows better practitioner access when working seated at the head of the table. The optional supine head pad is also shown above.



**WIDTH OPTIONS**

Choose from the 680mm top (our most popular table width for remedial massage) or the 730mm top (ideal for spa and relaxation massage where treatments are typically longer in duration).




**TOP SHAPE**

Choose between our straight-sided top or contoured top which increases access to the centre of the table. Both tops have a curved shoulder section that allows patients to comfortably access the armrest.


**KEY OPTIONS**

|                            | STANDARD                 | OPTIONAL                                                                                                                         |
|----------------------------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>DUNLOP CUSHIONING</b>   | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Firm (50mm, firm finish)<br>Ultra Firm (50mm, very firm finish) |
| <b>TOP SHAPE</b>           | Contoured                | Straight sides                                                                                                                   |
| <b>HEAD CRADLE</b>         | Head cradle pad          | Supine pad (removable)                                                                                                           |
| <b>ARMREST</b>             | Non-removable            | Removable                                                                                                                        |
| <b>EXTENDABLE FOOTREST</b> | N/A                      | Optional                                                                                                                         |
| <b>BODY FILLER PADS</b>    | N/A                      | Optional                                                                                                                         |
| <b>BASE STYLE</b>          | Concealed in-line wheels | 75mm locking castors                                                                                                             |
| <b>FOOTSWITCH</b>          | Single                   | One on each side of table                                                                                                        |
| <b>TABLE WIDTH</b>         | 680mm                    | 730mm                                                                                                                            |



**KEY SPECIFICATIONS**

|                          |                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>ADJUSTMENTS</b>       | Head cradle and armrest: +40° to -40°<br>Extendable footrest: +60mm                                                             |
| <b>SAFE WORKING LOAD</b> | 220kg                                                                                                                           |
| <b>MOTOR</b>             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg         |
| <b>FOOTSWITCH</b>        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control                                                     |
| <b>SHIPPING</b>          | 1930 x 730 x 720mm<br>125kg                                                                                                     |
| <b>WARRANTY</b>          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition |





"The VIS has used Athlegen massage tables for the last 6 years in the provision of specialist sports medicine services to athletes from a wide range of sports.

The massage tables have been successfully used both in a clinical setting and an 'on field' setting within Australia and internationally.

Key features of the Athlegen massage tables are exemplary quality, versatility of patient positioning, rapid speed of electric height adjustment, sure-footed, robust, comfortable, patient-safe construction and excellent practitioner functionality."

**ROB GRANTER**  
**COORDINATOR**  
**MASSAGE THERAPY SERVICES**  
**VICTORIAN INSTITUTE OF SPORT**

## Pro-Lift: Access RMS

The ultimate bodywork table featuring a power-driven raising mid-section, raising leg section, and a sturdy integrated head cradle with armrest. Treat your clients using the very best equipment available.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:





**ADJUSTABLE HEAD CRADLE & ARMREST**

The sturdy integrated head cradle and armrest can be adjusted to your preferred angle for superb patient comfort. An optional removable armrest is also available.



**EXTENDABLE FOOTREST**

The footrest can be extended to create a tabletop over two meters. Ideal ankle support for patients of diverse stature.



**MOTORISED RAISING MID-SECTION (RMS)**

Use the raising mid-section to stretch the lower back muscles. The head cradle, armrest and body mid-section adjust in unison to maintain patient comfort throughout treatments.



**OPTIONAL LIFT-UP BACK (MANUAL)**

The RMS is Athlegen's most versatile treatment table with a multitude of positioning options. Choose the lift-up back for physiotherapy, beauty treatments or in any multimodality practice.



**MANUALLY ADJUSTABLE RAISING LEG SECTION**

The adjustable leg section is ideal for postural drainage treatments or as an alternate backrest support.





**TOP SHAPE**


Choose between our straight-sided top or contoured top which increases access to the centre of the table. Both tops have a curved shoulder section that allows patients to comfortably access the armrest.

**KEY OPTIONS**

|                                    | STANDARD                 | OPTIONAL                                                                                                                         |
|------------------------------------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>DUNLOP CUSHIONING</b>           | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Firm (50mm, firm finish)<br>Ultra Firm (50mm, very firm finish) |
| <b>TOP SHAPE</b>                   | Contoured                | Straight sides                                                                                                                   |
| <b>BACKREST</b>                    | No lift-up back          | Manually adjustable lift-up back                                                                                                 |
| <b>ARMREST</b>                     | Non-removable            | Removable                                                                                                                        |
| <b>RAISING LEG</b>                 | Manually adjustable      | N/A                                                                                                                              |
| <b>EXTENDABLE FOOTREST</b>         | N/A                      | Optional                                                                                                                         |
| <b>BODY FILLER PADS</b>            | N/A                      | Optional                                                                                                                         |
| <b>BASE STYLE</b>                  | Concealed in-line wheels | 75mm locking castors                                                                                                             |
| <b>HEIGHT &amp; RMS FOOTSWITCH</b> | Single                   | One on each side of table                                                                                                        |
| <b>TABLE WIDTH</b>                 | 680mm                    | 730mm                                                                                                                            |






+ Extendable footrest



+ Extendable footrest  
+ Body filler pads

**KEY SPECIFICATIONS**

|                          |                                                                                                                                                    |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ADJUSTMENTS</b>       | Backrest (optional): +65°<br>Head cradle and armrest: +40° to -40°<br>Raising mid-section: +25°<br>Raising leg: +70°<br>Extendable footrest: +60mm |
| <b>SAFE WORKING LOAD</b> | 220kg                                                                                                                                              |
| <b>MOTOR</b>             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg                            |
| <b>SECONDARY MOTOR</b>   | Lift force: 4,000N<br>Speed: 11mm/sec                                                                                                              |
| <b>FOOTSWITCH</b>        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control                                                                        |
| <b>SHIPPING</b>          | 1930 x 730 x 720mm<br>125kg                                                                                                                        |
| <b>WARRANTY</b>          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition                    |





"My Pro-Lift table has been used for a dozen treatments daily in a busy clinic for sixteen years and is still going strong ... will definitely purchase from Athlegen again."

**JULIA**  
**TERRIGAL BODYWORKS**

## Pro-Lift: Access ABR

A professional bodywork table with an ergonomically designed contoured top, lift-up back and sturdy integrated head cradle with armrest. Treat your clients with the very best equipment available.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:





**ADJUSTABLE HEAD CRADLE & ARMREST**

The sturdy integrated head cradle and armrest can be adjusted to your preferred angle for superb patient comfort. An optional removable armrest is also available.



**EXTENDABLE FOOTREST**

The footrest can be extended to create a tabletop of over two meters. Ideal ankle support for patients of diverse stature.



**OPTIONAL MOTORISED BACKREST**

The motorised backrest allows for fast and effortless patient positioning. Ideal for busy clinics or treating larger clients.



**BASE STYLE**

Choose between our Standard base with concealed in-line wheels and floor-levelling feet or our lockable Castor base for easy manoeuvrability. All wheels feature TPE rubber compound tread to protect your floors.



**OPTIONAL ADJUSTABLE RAISING LEG SECTION**

The manual adjustable leg section is ideal for postural drainage treatments or as an alternate backrest support.




**TOP SHAPE**

Choose between our straight-sided top or contoured top which increases access to the centre of the table. Both tops have a curved shoulder section that allows patients to comfortably access the armrest.


**KEY OPTIONS**

|                            | STANDARD                 | OPTIONAL                                                                                                                         |
|----------------------------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>DUNLOP CUSHIONING</b>   | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Firm (50mm, firm finish)<br>Ultra Firm (50mm, very firm finish) |
| <b>TOP SHAPE</b>           | Contoured                | Straight sides                                                                                                                   |
| <b>BACKREST</b>            | Manually adjustable      | Motorised                                                                                                                        |
| <b>ARMREST</b>             | Non-removable            | Removable                                                                                                                        |
| <b>RAISING LEG</b>         | No raising leg           | Manually adjustable                                                                                                              |
| <b>EXTENDABLE FOOTREST</b> | N/A                      | Optional                                                                                                                         |
| <b>BODY FILLER PADS</b>    | N/A                      | Optional                                                                                                                         |
| <b>BASE STYLE</b>          | Concealed in-line wheels | 75mm locking castors                                                                                                             |
| <b>FOOTSWITCH</b>          | Single                   | One on each side of table                                                                                                        |
| <b>TABLE WIDTH</b>         | 680mm                    | 730mm                                                                                                                            |



**KEY SPECIFICATIONS**

|                          |                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>ADJUSTMENTS</b>       | Backrest: +60°<br>Head cradle and armrest: +40° to -40°<br>Manual raising leg (optional): +70°<br>Extendable footrest: +60mm    |
| <b>SAFE WORKING LOAD</b> | 220kg                                                                                                                           |
| <b>MOTOR</b>             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg         |
| <b>SECONDARY MOTOR</b>   | Lift force: 4,000N<br>Speed: 11mm/sec                                                                                           |
| <b>FOOTSWITCH</b>        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control                                                     |
| <b>SHIPPING</b>          | 1930 x 730 x 720mm<br>125kg                                                                                                     |
| <b>WARRANTY</b>          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition |





"I've used Athlegen products for five star properties like W Hotels (Seoul), Raffles International in global locations, and at Zen Day Spa (Sydney) to name a few. Athlegen is consultative in their approach, deliver on time, and service their clients for years thereafter."

**DEBORAH MANGUM-COPELLI**  
SPA DESIGN DEVELOPMENT CONSULTANT  
COGUM ENTERPRISES

## Pro-Lift: Beauty S

Featuring table sections with lift-assist gas springs, this versatile and sturdy table effortlessly converts from a luxurious treatment couch to a completely flat table. Ideal for massage, waxing, electrolysis, manicures, relaxation and specialised beauty treatments.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:





**LIFT-ASSIST KNEE & BACKREST**

Lift-assist gas springs help support a patient's body weight for more comfortable and secure table adjustments. Patients can enjoy smoother table transitions with minimal disruption to treatment flow.



**MANICURE ARMRESTS**

Manicure armrests allow seated clients to relax completely. They can be entirely removed or flipped out of the way when clients need to get on and off the table or if increased practitioner access is necessary.



**OPTIONAL REMOVABLE HEAD CRADLE**

Adjustable in both height and angle, the head cradle locks with a maintenance-free single lever system (no need for routine tightening). Perfect for massage treatments.



**REMOVABLE BACKREST EXTENSION**

The backrest extension provides additional support and comfort for taller clients. It is removable and interchangeable with the head cradle accessory.



**OPTIONAL COMFORT CUSHIONING**

Choose from three optional Dunlop® cushioning systems. Luxura is our most luxurious option with premium Enduro® and Viscoflex® memory foam. Alternatively, choose Enduro® foam for support or Comfort foam for an extra thick upholstered look.




**OPTIONAL FOLD-AWAY ARMREST**

Our superior sturdy armrest neatly stows away when not in use. This optional extra is perfect for massage treatments.


**KEY OPTIONS**

|                           | STANDARD                 | OPTIONAL                                                                                       |
|---------------------------|--------------------------|------------------------------------------------------------------------------------------------|
| <b>DUNLOP CUSHIONING</b>  | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Comfort (90mm, medium finish) |
| <b>BACKREST EXTENSION</b> | N/A                      | Optional                                                                                       |
| <b>FOLD-AWAY ARMREST</b>  | N/A                      | Optional                                                                                       |
| <b>MANICURE ARMRESTS</b>  | N/A                      | Optional                                                                                       |
| <b>BASE STYLE</b>         | Concealed in-line wheels | 75mm locking castors                                                                           |
| <b>FOOTSWITCH</b>         | Single                   | One on each side of the table                                                                  |
| <b>TABLE WIDTH</b>        | 680mm                    | 730mm                                                                                          |



**KEY SPECIFICATIONS**

|                          |                                                                                                                                                                  |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ADJUSTMENTS</b>       | Lift-assist gas spring backrest: +75°<br>Lift-assist gas spring knee lift: +26°<br>Manual backrest extension: +150mm<br>Manual manicure armrest: lift away +110° |
| <b>SAFE WORKING LOAD</b> | 220kg                                                                                                                                                            |
| <b>MOTOR</b>             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg                                          |
| <b>FOOTSWITCH</b>        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control                                                                                      |
| <b>SHIPPING</b>          | 1930 x 730 x 720mm<br>125kg                                                                                                                                      |
| <b>WARRANTY</b>          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition                                  |





"The decision to align ourselves and partner with Athlegen was simple. The synergies were obvious.

As we grow and continue to be the leaders in natural skincare, health and wellbeing, we appreciate the importance of being unique and innovative. This unique point of difference that has allowed us to stand out in the market place has successfully been complimented by the Athlegen brand.

We will continue to utilise Athlegen products, services and advice, and are looking forward to an exciting long-term relationship."

**COSIMO DIDHIERA**  
PROPERTY/PROJECT MANAGER  
JURLIQUE INTERNATIONAL PTY LTD

## Pro-Lift: Venus

Featuring a motorised backrest and seat tilt, this versatile and sturdy table effortlessly converts from a luxurious treatment chair to a completely flat table. Ideal for remedial massage, waxing, electrolysis, manicures, relaxation and specialised beauty treatments.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:





**ADJUSTABLE HEAD CRADLE & PRONE ARMREST**

The sturdy integrated head cradle and armrest can be adjusted to your preferred angle for superb patient comfort. An optional removable armrest is also available.



**EXTENDABLE FOOTREST**

The footrest can be extended to create a tabletop of over two meters. Ideal ankle support for patients of diverse stature.



**MOTORISED BACKREST & SEAT TILT**

Enabling effortless adjustment, the lift-up back and seat tilt move together. As the backrest raises, the seat gently tilts, maintaining a comfortable seated position. Perfect for a spa and beauty treatments.



**BASE STYLE**

Choose between our Standard base with concealed in-line wheels and floor-levelling feet or our lockable Castor base for easy manoeuvrability. All wheels feature TPE rubber compound tread to protect your floors.



**OPTIONAL MANICURE ARMRESTS**

Manicure armrests allow seated clients to relax completely. They can be entirely removed or flipped out of the way when clients need to get on and off the table or if increased practitioner access is necessary.




**TOP SHAPE**


Choose between our straight-sided top or contoured top which increases access to the centre of the table. Both tops have a curved shoulder section that allows patients to comfortably access the armrest.

**KEY OPTIONS**


|                     | STANDARD                 | OPTIONAL                                                                                       |
|---------------------|--------------------------|------------------------------------------------------------------------------------------------|
| DUNLOP CUSHIONING   | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Comfort (90mm, medium finish) |
| TOP SHAPE           | Contoured                | Straight sides                                                                                 |
| PRONE ARMREST       | Non-removable            | Removable                                                                                      |
| MANICURE ARMRESTS   | N/A                      | All models                                                                                     |
| EXTENDABLE FOOTREST | Venus Extend             | N/A                                                                                            |
| BODY FILLER PADS    | N/A                      | All models                                                                                     |
| BASE STYLE          | Concealed in-line wheels | 75mm locking castors                                                                           |
| HEIGHT FOOTSWITCH   | Single                   | One on each side of the table                                                                  |
| BACKREST FOOTSWITCH | Single                   | One on each side of the table                                                                  |
| TABLE WIDTH         | 680mm                    | 730mm                                                                                          |



**VENUS**






**VENUS EXTEND**  
+ Extendable footrest




**VENUS EXTEND**  
+ Extendable footrest  
+ Body filler pads

**KEY SPECIFICATIONS**

|                   |                                                                                                                                                                                                                             |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ADJUSTMENTS       | Motorised backrest: +60°<br>Manual head cradle: +40° to -40°<br>Motorised seat tilt +12°<br>Manual manicure armrests (optional): lift away +110°<br>Manual foot section: -50°<br>Extendable footrest (Venus Extend): +200mm |
| SAFE WORKING LOAD | 220kg                                                                                                                                                                                                                       |
| MOTOR             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg                                                                                                     |
| SECONDARY MOTOR   | Lift force: 4,000N<br>Speed: 11mm/sec                                                                                                                                                                                       |
| FOOTSWITCH        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control                                                                                                                                                 |
| SHIPPING          | 1930 x 730 x 720mm<br>125kg                                                                                                                                                                                                 |
| WARRANTY          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition                                                                                             |





"The table is perfect and I am really happy with the quality, material and colour. Your company made the whole process incredibly simple and efficient and delivered on time."

CAROLYN AUSTIN

## Pro-Lift: Treatment One

Your patients will feel secure and comfortable with our sturdy design features and Dunlop cushioning systems. Suitable for a wide range of modalities, including massage, acupuncture and osteopathy.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:



## PRODUCT INFORMATION



### FAST HEIGHT ADJUSTMENT

Save time with quick height adjustments from our extra powerful 10,000N German actuator – with smooth and quiet operation, our actuator is three times faster than most competing products.




### FACE HOLE OPTIONS

Order with or without a face hole. Order a face hole plug to help move patients quickly between prone and supine positions – no need to rotate the patient to the other end of the table to avoid the face hole.



### STURDY DESIGN

Made in Australia by Athlegen, our sturdy design is built to last even in the busiest practice.



### FOAM OPTIONS

Choose between five Dunlop® cushioning systems ranging from Ultra Firm to luxurious Viscoflex® slow release memory foam. We have the right foam system to suit your modality.

### TABLE WIDTH

Select from three table widths to suit your modality. Custom width tabletops are also available at an additional cost.

### BASE STYLE

Choose between our Standard base with concealed in-line wheels and floor-levelling feet or our lockable Castor base for easy manoeuvrability. All wheels feature TPE rubber compound tread to protect your floors.


## KEY OPTIONS

|                          | STANDARD                 | OPTIONAL                                                                                                                         |
|--------------------------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>DUNLOP CUSHIONING</b> | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Firm (50mm, firm finish)<br>Ultra Firm (50mm, very firm finish) |
| <b>FACE HOLE</b>         | No face hole             | In one end                                                                                                                       |
| <b>FACE HOLE PLUG</b>    | No face hole plug        | Optional                                                                                                                         |
| <b>BASE STYLE</b>        | Concealed in-line wheels | 75mm locking castors                                                                                                             |
| <b>FOOTSWITCH</b>        | Single                   | One on each side of the table                                                                                                    |
| <b>TABLE WIDTH</b>       | 610mm      660mm         | 710mm                                                                                                                            |



## KEY SPECIFICATIONS

|                          |                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>ADJUSTMENTS</b>       | N/A                                                                                                                             |
| <b>SAFE WORKING LOAD</b> | 220kg                                                                                                                           |
| <b>MOTOR</b>             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg         |
| <b>FOOTSWITCH</b>        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control                                                     |
| <b>SHIPPING</b>          | 1930 x 730 x 720mm<br>125kg                                                                                                     |
| <b>WARRANTY</b>          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition |



Athlegen is a brand of  
Alevo Pty Ltd © 2019



All dimensions (shown in mm) and specifications are approximate and are subject to manufacturing tolerances.

#201105



"The table is perfect and I am really happy with the quality, material and colour. Your company made the whole process incredibly simple and efficient and delivered on time."

CAROLYN AUSTIN

## Pro-Lift: Treatment AHS

The two-section configuration features a face recess in the head section which can be finely adjusted to enable the prone patient to relax the neck muscles fully during treatments. This versatile table is suitable for a wide range of modalities, including massage, acupuncture and osteopathy.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:



## PRODUCT INFORMATION



### ADJUSTABLE HEAD SECTION

The standard configuration includes a face hole in the head section for more comfortable prone treatments. The head section can be finely adjusted to enable the prone patient to relax the neck muscles fully during treatments such as massage.



### FAST HEIGHT ADJUSTMENT

Save time with quick height adjustments from our extra powerful 10,000N German actuator - with smooth and quiet operation, our actuator is three times faster than most competing products.



### FACE HOLE OPTIONS

Order with or without a face hole. Order a face hole plug to help move patients quickly between prone and supine positions - no need to rotate the patient to the other end of the table to avoid the face hole.



### FOAM OPTIONS

Choose between five Dunlop® cushioning systems ranging from Ultra Firm to luxurious Viscoflex® slow release memory foam. We have the right foam system to suit your modality.



### TABLE WIDTH

Select from three table widths to suit your modality. Custom width tabletops are also available at an additional cost.




### BASE STYLE

Choose between our Standard base with concealed in-line wheels and floor-levelling feet or our lockable Castor base for easy manoeuvrability. All wheels feature TPE rubber compound tread to protect your floors.


## KEY OPTIONS

|                          | STANDARD                 | OPTIONAL                                                                                                                         |
|--------------------------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>DUNLOP CUSHIONING</b> | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Firm (50mm, firm finish)<br>Ultra Firm (50mm, very firm finish) |
| <b>FACE HOLE</b>         | In the head section      | No face hole                                                                                                                     |
| <b>FACE HOLE PLUG</b>    | No face hole plug        | Optional                                                                                                                         |
| <b>BASE STYLE</b>        | Concealed in-line wheels | 75mm locking castors                                                                                                             |
| <b>FOOTSWITCH</b>        | Single                   | One on each side of the table                                                                                                    |
| <b>TABLE WIDTH</b>       | 610mm      660mm         | 710mm                                                                                                                            |



## KEY SPECIFICATIONS

|                          |                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>ADJUSTMENTS</b>       | Head section: +40° to -75°                                                                                                      |
| <b>SAFE WORKING LOAD</b> | 220kg                                                                                                                           |
| <b>MOTOR</b>             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg         |
| <b>FOOTSWITCH</b>        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control                                                     |
| <b>SHIPPING</b>          | 1930 x 730 x 720mm<br>125kg                                                                                                     |
| <b>WARRANTY</b>          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition |



Athlegen is a brand of  
Alevo Pty Ltd © 2019



All dimensions (shown in mm) and specifications are approximate and are subject to manufacturing tolerances.

#201105

# Massage & Natural Therapies Range

## KEY FEATURES

| RANGE                                        | VALUE-LIFT   | PRO-LIFT        |                |                |                |               |                |               |               |
|----------------------------------------------|--------------|-----------------|----------------|----------------|----------------|---------------|----------------|---------------|---------------|
| TABLE                                        | MASSAGE      | ACCESS STANDARD | ACCESS RMS     | ACCESS ABR     | BEAUTY S       | VENUS         | VENUS EXTEND   | TREATMENT ONE | TREATMENT AHS |
| HEIGHT RANGE                                 | 530 to 825mm | 475 to 962mm    | 513 to 1000mm  | 513 to 1000mm  | 500 to 987mm   | 513 to 1000mm | 513 to 1000mm  | 475 to 962mm  | 475 to 962mm  |
| TABLE LENGTH                                 | 1860mm       | 1860 to 2060mm  | 1860 to 2060mm | 1860 to 2060mm | 1840 to 1990mm | 1860mm        | 1860 to 2060mm | 1840mm        | 1860mm        |
| MANUAL BACKREST                              | x            | x               | ○              | ●              | x              | x             | x              | x             | x             |
| LIFT-ASSIST BACKREST                         | x            | x               | x              | x              | ●              | x             | x              | x             | x             |
| MOTORISED BACKREST                           | x            | x               | x              | ○              | x              | ●             | ●              | x             | x             |
| MOTORISED SEAT TILT                          | x            | x               | x              | x              | x              | ●             | ●              | x             | x             |
| MANUAL KNEE SECTION                          | x            | x               | x              | x              | x              | x             | x              | x             | x             |
| LIFT-ASSIST KNEE SECTION                     | x            | x               | x              | x              | ●              | x             | x              | x             | x             |
| ADJUSTABLE HEAD CRADLE & ARMREST             | x            | ●               | ●              | ●              | ○              | ●             | ●              | x             | x             |
| LIFT-ASSIST ADJUSTABLE HEAD CRADLE & ARMREST | ●            | x               | x              | x              | x              | x             | x              | x             | x             |
| ADJUSTABLE HEAD SECTION                      | x            | x               | x              | x              | x              | x             | x              | x             | ●             |
| FACE HOLE                                    | x            | x               | x              | x              | x              | x             | x              | ○             | ●             |
| REMOVABLE PRONE ARMREST                      | x            | ○               | ○              | ○              | x              | ○             | ○              | x             | x             |
| FOLDAWAY ARMREST                             | x            | x               | x              | x              | ○              | x             | x              | x             | x             |
| MOTORISED RAISING MID-SECTION                | x            | x               | ●              | x              | x              | x             | x              | x             | x             |
| RAISING LEG SECTION                          | x            | x               | ●              | ○              | x              | x             | x              | x             | x             |

## TABLE WIDTH

|          |       |       |       |       |       |       |              |              |
|----------|-------|-------|-------|-------|-------|-------|--------------|--------------|
| STANDARD | 680mm | 680mm | 680mm | 680mm | 680mm | 680mm | 610 or 660mm | 610 or 660mm |
| OPTIONAL | x     | 730mm | 730mm | 730mm | 730mm | 730mm | 710mm        | 710mm        |

## TOP SHAPE

|                    |   |   |   |   |   |   |   |   |
|--------------------|---|---|---|---|---|---|---|---|
| CONTOURED TOP      | ● | ● | ● | ● | x | ● | x | x |
| STRAIGHT-SIDED TOP | x | ○ | ○ | ○ | ● | ○ | ● | ● |

## CUSHIONING

|                     |   |   |   |   |   |   |   |   |
|---------------------|---|---|---|---|---|---|---|---|
| DUNLOP STANDARD     | x | ● | ● | ● | ● | ● | ● | ● |
| DUNLOP ENDURO       | x | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| DUNLOP LUXURA       | x | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| DUNLOP COMFORT      | x | x | x | x | ○ | x | x | x |
| DUNLOP FIRM         | x | ○ | ○ | ○ | x | x | ○ | ○ |
| DUNLOP ULTRA FIRM   | x | ○ | ○ | ○ | x | x | ○ | ○ |
| IMPORTED CUSHIONING | ● | x | x | x | x | x | x | x |

## KEY

- STANDARD
- OPTIONAL
- x NOT APPLICABLE



# Massage & Natural Therapies Range

## ACCESS, BEAUTY & VENUS COMPARISON

| TABLE/MODEL         | ACCESS STANDARD | ACCESS RMS | ACCESS ABR | BEAUTY S | VENUS | VENUS EXTEND |
|---------------------|-----------------|------------|------------|----------|-------|--------------|
| EXTENDABLE FOOTREST | ○               | ○          | ○          | ×        | ×     | ●            |
| BODY FILLER PADS    | ○               | ○          | ○          | ×        | ○     | ○            |
| BACKREST EXTENSION  | ×               | ×          | ×          | ○        | ×     | ×            |
| MANICURE ARMRESTS   | ×               | ×          | ×          | ○        | ○     | ○            |

## UPHOLSTERY

| RANGE                                             | VALUE-LIFT | PRO-LIFT |
|---------------------------------------------------|------------|----------|
| EVOLVE PU OR ENCORE PVC                           | ×          | ●        |
| ULTRA PU, ULTIMATE PVC OR GENUINE ITALIAN LEATHER | ×          | ○        |
| SEMI-PU FABRIC                                    | ●          | ×        |

## BASE STYLE

| RANGE                                              | VALUE-LIFT | PRO-LIFT |
|----------------------------------------------------|------------|----------|
| STANDARD BASE WITH IN-LINE WHEELS & LEVELLING FEET | ×          | ●        |
| 75MM LOCKING CASTOR BASE                           | ×          | ○        |
| LEVELLING FEET & RETRACTABLE WHEELS                | ●          | ×        |

## MOTOR

| LIFT FORCE                     | 6,000N              | 10,000N          |
|--------------------------------|---------------------|------------------|
| SPEED                          | 12mm/sec            | 37mm/sec         |
| HEIGHT ADJUSTMENT (MIN TO MAX) | 295mm in 26 seconds | 487mm in 13 secs |
| SAFE WORKING LOAD              | 165kg               | 220kg            |

## WARRANTY

| STRUCTURAL                             | 5 years                        | 15 years                       |
|----------------------------------------|--------------------------------|--------------------------------|
| HARDWARE                               | 3 years                        | 5 years                        |
| MOTOR                                  | 2 years                        | 3 years                        |
| CONTROL BOX                            | 2 years                        | ×                              |
| FOOTSWITCH                             | 2 years                        | 1 year                         |
| GAS STRUT                              | 2 years                        | ×                              |
| UPHOLSTERY                             | To arrive in perfect condition | To arrive in perfect condition |
| MOTOR WARRANTY UPGRADE (5 OR 10 YEARS) | ×                              | ○                              |

## SECONDARY MOTOR (ACCESS RMS, ACCESS ABR & VENUS)

| LIFT FORCE        | 4,000N   |
|-------------------|----------|
| SPEED             | 11mm/sec |
| SAFE WORKING LOAD | 220kg    |

| FOOTSWITCH            | ● |
|-----------------------|---|
| ADDITIONAL FOOTSWITCH | ○ |

## OPTIONAL EXTRAS

DISPOSABLE FACE CRADLE COVERS  
DISPOSABLE TABLE COVER  
FITTED TERRY TOWELLING COVER  
LEG BOLSTER  
ADDITIONAL FOOTSWITCH

## KEY

● STANDARD  
○ OPTIONAL  
× NOT APPLICABLE

