

**///ATHLEGEN**

Physiotherapy Range



1800 813 000  
www.athlegen.com.au  
sales@athlegen.com



"The table is perfect and I am really happy with the quality, material and colour. Athlegen made the whole process incredibly simple and efficient and delivered on time."

CAROLYN AUSTIN

## Value-Lift: ABR

Ideal for patient assessment and examinations as well as general practice use, light physiotherapy use and first aid injury. The power-driven height adjustment provides greater access for elderly and incapacitated patients while also achieving an ergonomic working platform for the practitioner.

## PRODUCT INFORMATION



### GAS-ASSISTED ADJUSTABLE BACKREST

Lift-assist gas springs help support a patient's body weight for more comfortable and secure table adjustments. Patients can enjoy smoother table transitions with minimal disruption to treatment flow.



### FREE INCLUDED SUPINE CUSHION

Use the supine pad to cover the face hole and increase patient comfort in the supine position.



### STAINLESS STEEL FOOTSWITCH

The table comes with a sturdy footswitch made with a stainless steel body. Order an additional footswitch to control the height from either side of the table.



### DANISH DESIGNED LINAK ACTUATOR

All Value-Lift tables feature a Danish actuator by Linak which is manufactured to our strict quality control. All products are inspected and checked by Athlegen when they arrive in Australia.



### ADJUSTABLE FLOOR-LEVELLING FEET

The table sits securely on four solid supports that can be adjusted for an uneven floor.





### RETRACTABLE WHEELS

The foot operated retractable wheel system allows for easy manoeuvrability when moving the table. When not in use the wheels retract to provide a stable solid base.

## KEY SPECIFICATIONS

|                          |   |
|--------------------------|---|
| <b>CUSHIONING</b>        | 60mm, medium finish   |
| <b>UPHOLSTERY</b>        | Semi-PU fabric  |
| <b>ADJUSTMENTS</b>       | Backrest: +65°  |
| <b>SAFE WORKING LOAD</b> | 165kg   |
| <b>MOTOR</b>             | Origin: PRC<br>Design: Linak Denmark<br>Lift force: 6,000N<br>Speed: 12mm/sec<br>Height adjustment (min to max): 320mm in 26 seconds<br>Speed test load: 165kg                |
| <b>FOOTSWITCH</b>        | Single or optional dual footswitches (one on each side of the table)<br>Origin: PRC<br>Stainless steel<br>Power control   |
| <b>SHIPPING</b>          | 1970 x 800 x 720mm<br>74kg  |
| <b>WARRANTY</b>          | Structural: 5 years<br>Hardware: 3 years<br>Motor: 2 years<br>Control box: 2 years<br>Footswitch: 2 years<br>Gas strut: 2 years<br>Upholstery: To arrive in perfect condition |





"The table is perfect and I am really happy with the quality, material and colour. Athlegen made the whole process incredibly simple and efficient and delivered on time."

CAROLYN AUSTIN

## Value-Lift: Treatment

A versatile table suitable for a wide range of modalities, including light physiotherapy use, massage, acupuncture, osteopathy, beauty treatments and examinations. The three-section configuration features a 700mm backrest and a long seat section. Ideal for treatments that require extra leg room.



NAVY SEMI-PU FABRIC



HAZARDOUS MATERIAL FREE (ROHS CERTIFIED)

## PRODUCT INFORMATION



### GAS-ASSISTED ADJUSTABLE BACKREST

Lift-assist gas springs help support a patient's body weight for more comfortable and secure table adjustments. Patients can enjoy smoother table transitions with minimal disruption to treatment flow.



### GAS-ASSISTED ADJUSTABLE HEADREST

The standard configuration includes a face hole in the head section for comfortable prone treatments. The head section can be finely adjusted to enable patients to relax neck muscles fully during treatments.



### STAINLESS STEEL FOOTSWITCH

The table comes with a sturdy footswitch made with a stainless steel body. Order an additional footswitch to control the height from either side of the table.



### DANISH DESIGNED LINAK ACTUATOR

All Value-Lift tables feature a Danish actuator by Linak which is manufactured to our strict quality control. All products are inspected and checked by Athlegen when they arrive in Australia.



### ADJUSTABLE FLOOR-LEVELLING FEET

The table sits securely on four solid supports that can be adjusted for an uneven floor.





### RETRACTABLE WHEELS

The foot operated retractable wheel system allows for easy manoeuvrability when moving the table. When not in use the wheels retract to provide a stable solid base.

## KEY SPECIFICATIONS

|                          |   |
|--------------------------|---|
| <b>CUSHIONING</b>        | 60mm, medium finish   |
| <b>UPHOLSTERY</b>        | Semi-PU fabric  |
| <b>ADJUSTMENTS</b>       | Backrest: +65°<br>Head section: +30° to -30°  |
| <b>SAFE WORKING LOAD</b> | 165kg   |
| <b>MOTOR</b>             | Origin: PRC<br>Design: Linak Denmark<br>Lift force: 6,000N<br>Speed: 12mm/sec<br>Height adjustment (min to max): 295mm in 26 seconds<br>Speed test load: 165kg                |
| <b>FOOTSWITCH</b>        | Single or optional dual footswitches (one on each side of the table)<br>Origin: PRC<br>Stainless steel<br>Power control   |
| <b>SHIPPING</b>          | 1920 x 750 x 720mm<br>74kg  |
| <b>WARRANTY</b>          | Structural: 5 years<br>Hardware: 3 years<br>Motor: 2 years<br>Control box: 2 years<br>Footswitch: 2 years<br>Gas strut: 2 years<br>Upholstery: To arrive in perfect condition |





"My Pro-Lift table has been used for a dozen treatments daily in a busy clinic for sixteen years and is still going strong ... will definitely purchase from Athlegen again."

**JULIA**  
**TERRIGAL BODYWORKS**

## Pro-Lift: Access ABR

A professional bodywork table with an ergonomically designed contoured top, lift-up back and sturdy integrated head cradle with armrest. Treat your clients with the very best equipment available.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:





**ADJUSTABLE HEAD CRADLE & ARMREST**

The sturdy integrated head cradle and armrest can be adjusted to your preferred angle for superb patient comfort. An optional removable armrest is also available.



**EXTENDABLE FOOTREST**

The footrest can be extended to create a tabletop of over two meters. Ideal ankle support for patients of diverse stature.



**OPTIONAL MOTORISED BACKREST**

The motorised backrest allows for fast and effortless patient positioning. Ideal for busy clinics or treating larger clients.



**BASE STYLE**

Choose between our Standard base with concealed in-line wheels and floor-levelling feet or our lockable Castor base for easy manoeuvrability. All wheels feature TPE rubber compound tread to protect your floors.



**OPTIONAL ADJUSTABLE RAISING LEG SECTION**

The manual adjustable leg section is ideal for postural drainage treatments or as an alternate backrest support.




**TOP SHAPE**

Choose between our straight-sided top or contoured top which increases access to the centre of the table. Both tops have a curved shoulder section that allows patients to comfortably access the armrest.


**KEY OPTIONS**

|                            | STANDARD                 | OPTIONAL   |
|----------------------------|--------------------------|--|
| <b>DUNLOP CUSHIONING</b>   | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Firm (50mm, firm finish)<br>Ultra Firm (50mm, very firm finish) |
| <b>TOP SHAPE</b>           | Contoured                | Straight sides   |
| <b>BACKREST</b>            | Manually adjustable      | Motorised  |
| <b>ARMREST</b>             | Non-removable            | Removable  |
| <b>RAISING LEG</b>         | No raising leg           | Manually adjustable  |
| <b>EXTENDABLE FOOTREST</b> | N/A                      | Optional   |
| <b>BODY FILLER PADS</b>    | N/A                      | Optional   |
| <b>BASE STYLE</b>          | Concealed in-line wheels | 75mm locking castors   |
| <b>FOOTSWITCH</b>          | Single                   | One on each side of table  |
| <b>TABLE WIDTH</b>         | 680mm                    | 730mm  |



**KEY SPECIFICATIONS**

|                          |   |
|--------------------------|---|
| <b>ADJUSTMENTS</b>       | Backrest: +60°<br>Head cradle and armrest: +40° to -40°<br>Manual raising leg (optional): +70°<br>Extendable footrest: +60mm    |
| <b>SAFE WORKING LOAD</b> | 220kg   |
| <b>MOTOR</b>             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg         |
| <b>SECONDARY MOTOR</b>   | Lift force: 4,000N<br>Speed: 11mm/sec   |
| <b>FOOTSWITCH</b>        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control   |
| <b>SHIPPING</b>          | 1930 x 730 x 720mm<br>125kg   |
| <b>WARRANTY</b>          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition |





"The table is perfect and I am really happy with the quality, material and colour. Your company made the whole process incredibly simple and efficient and delivered on time."

CAROLYN AUSTIN

## Pro-Lift: Treatment 680

This versatile three-section table is ideal for physiotherapy, massage, beauty treatments, examinations or any multimodality practice. The 680mm backrest configuration allows for more legroom when seated compared to the Treatment 930.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:



## PRODUCT INFORMATION



### MANUALLY ADJUSTABLE BACKREST

The lift-up back adjusts in seconds to create a sturdy, comfortable treatment platform – an ideal choice for massage, beauty treatments, examinations or any multimodality practice.

### ADJUSTABLE HEAD SECTION

The standard configuration includes a face hole in the head section for more comfortable prone treatments. The head section can be finely adjusted to enable the prone patient to relax the neck muscles fully during treatments.

### FACE HOLE OPTIONS

Choose a face recess in the lift-up back or head section. Order a face hole plug to help move patients quickly between prone and supine positions – no need to rotate the patient to avoid the face hole.



### FOAM OPTIONS

Choose between five Dunlop® cushioning systems ranging from Ultra Firm to luxurious Viscoflex® slow release memory foam. We have the right foam system to suit your modality.

### TABLE WIDTH



Select from three table widths to suit your modality. Custom width tabletops are also available at an additional cost.

### BASE STYLE

Choose between our Standard base with concealed in-line wheels and floor-levelling feet or our lockable Castor base for easy manoeuvrability. All wheels feature TPE rubber compound tread to protect your floors.

## KEY OPTIONS

|                          | STANDARD                 | OPTIONAL   |              |
|--------------------------|--------------------------|--|--------------|
| <b>DUNLOP CUSHIONING</b> | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Firm (50mm, firm finish)<br>Ultra Firm (50mm, very firm finish) |              |
| <b>BACKREST</b>          | Manually adjustable      | N/A  |              |
| <b>HEAD SECTION</b>      | Manually adjustable      | N/A  |              |
| <b>FACE HOLE</b>         | In the head section      | In the backrest  | No face hole |
| <b>FACE HOLE PLUG</b>    | No face hole plug        | Optional   |              |
| <b>BASE STYLE</b>        | Concealed in-line wheels | 75mm locking castors   |              |
| <b>FOOTSWITCH</b>        | Single                   | One on each side of the table  |              |
| <b>TABLE WIDTH</b>       | 610mm                    | 660mm  | 710mm        |



## KEY SPECIFICATIONS

|                          |   |
|--------------------------|---|
| <b>ADJUSTMENTS</b>       | Backrest: +65°<br>Head section: +40° to -75°  |
| <b>SAFE WORKING LOAD</b> | 220kg   |
| <b>MOTOR</b>             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg         |
| <b>FOOTSWITCH</b>        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control   |
| <b>SHIPPING</b>          | 1930 x 730 x 720mm<br>125kg   |
| <b>WARRANTY</b>          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition |

Athlegen is a brand of  
Alevo Pty Ltd © 2019



All dimensions (shown in mm) and specifications are approximate and are subject to manufacturing tolerances.

#201105



"The table is perfect and I am really happy with the quality, material and colour. Your company made the whole process incredibly simple and efficient and delivered on time."

CAROLYN AUSTIN

## Pro-Lift: Treatment 930

This versatile three-section table can be quickly configured to treat patients in a seated position – ideal for treatments such as podiatry or pedicures. It is also suitable for massage, beauty treatments, examinations or any multimodality practice.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:



## PRODUCT INFORMATION



### MANUALLY ADJUSTABLE BACKREST

The lift-up back adjusts in seconds to create a sturdy, comfortable treatment chair, ideal for pedicures and podiatry.

### ADJUSTABLE HEAD SECTION

The standard configuration includes a face hole in the head section for more comfortable prone treatments. The head section can be finely adjusted to enable the prone patient to relax the neck muscles fully during treatments.

### FACE HOLE OPTIONS

If you choose a face hole in the head section, you can also order a face hole plug to help move patients quickly between prone and supine positions - no need to rotate the patient to avoid the face hole.



### FOAM OPTIONS

Choose between five Dunlop® cushioning systems ranging from Ultra Firm to luxurious Viscoflex® slow release memory foam. We have the right foam system to suit your modality.

### TABLE WIDTH


Select from three table widths to suit your modality. Custom width tabletops are also available at an additional cost.

### BASE STYLE

Choose between our Standard base with concealed in-line wheels and floor-levelling feet or our lockable Castor base for easy manoeuvrability. All wheels feature TPE rubber compound tread to protect your floors.


## KEY OPTIONS

|                          | STANDARD                 | OPTIONAL   |
|--------------------------|--------------------------|--|
| <b>DUNLOP CUSHIONING</b> | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Firm (50mm, firm finish)<br>Ultra Firm (50mm, very firm finish) |
| <b>BACKREST</b>          | Manually adjustable      | N/A  |
| <b>HEAD SECTION</b>      | Manually adjustable      | N/A  |
| <b>FACE HOLE</b>         | In the head section      | No face hole   |
| <b>FACE HOLE PLUG</b>    | No face hole plug        | Optional   |
| <b>BASE STYLE</b>        | Concealed in-line wheels | 75mm locking castors   |
| <b>FOOTSWITCH</b>        | Single                   | One on each side of the table  |
| <b>TABLE WIDTH</b>       | 610mm    660mm           | 710mm  |



## KEY SPECIFICATIONS

|                          |   |
|--------------------------|---|
| <b>ADJUSTMENTS</b>       | Backrest: +65°<br>Head section: +40° to -75°  |
| <b>SAFE WORKING LOAD</b> | 220kg   |
| <b>MOTOR</b>             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg         |
| <b>FOOTSWITCH</b>        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control   |
| <b>SHIPPING</b>          | 1930 x 730 x 720mm<br>125kg   |
| <b>WARRANTY</b>          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition |



Athlegen is a brand of  
Alevo Pty Ltd © 2019



All dimensions (shown in mm) and specifications are approximate and are subject to manufacturing tolerances.

#201105



"The table is perfect and I am really happy with the quality, material and colour. Your company made the whole process incredibly simple and efficient and delivered on time."

CAROLYN AUSTIN

## Pro-Lift: Treatment ABR

With a lift-up back, this versatile table is suitable for a wide range of modalities, including physio, acupuncture, massage, beauty treatments, examinations, or any multimodality practice.

SELECT FROM OVER 30 COLOURS AND FABRIC CHOICES INCLUDING POLYURETHANE (PU), VINYL (PVC) AND GENUINE ITALIAN LEATHER:



## PRODUCT INFORMATION



### MANUALLY ADJUSTABLE BACKREST

The Treatment ABR adjusts flat in seconds to create a sturdy, comfortable treatment platform. This versatile table is an ideal choice for massage or beauty treatments, examinations or any multimodality practice.

### FAST HEIGHT ADJUSTMENT

Save time with quick height adjustments from our extra powerful 10,000N German actuator - with smooth and quiet operation, our actuator is three times faster than most competing products.

### FACE HOLE OPTIONS

Choose a face recess in the lift-up back or main body section. Order a face hole plug to help move patients quickly between prone and supine positions - no need to rotate the patient to avoid the face hole.



### FOAM OPTIONS

Choose between five Dunlop® cushioning systems ranging from Ultra Firm to luxurious Viscoflex® slow release memory foam. We have the right foam system to suit your modality.

### TABLE WIDTH


Select from three table widths to suit your modality. Custom width tabletops are also available at an additional cost.

### BASE STYLE

Choose between our Standard base with concealed in-line wheels and floor-levelling feet or our lockable Castor base for easy manoeuvrability. All wheels feature TPE rubber compound tread to protect your floors.


## KEY OPTIONS

|                          | STANDARD                 | OPTIONAL   |
|--------------------------|--------------------------|--|
| <b>DUNLOP CUSHIONING</b> | 55mm, medium finish      | Enduro (70mm, firm finish)<br>Luxura (80mm, luxurious finish)<br>Firm (50mm, firm finish)<br>Ultra Firm (50mm, very firm finish) |
| <b>BACKREST</b>          | Manually adjustable      | N/A  |
| <b>FACE HOLE</b>         | No face hole             | In the main body   In the lift-up back   |
| <b>FACE HOLE PLUG</b>    | No face hole plug        | Optional   |
| <b>BASE STYLE</b>        | Concealed in-line wheels | 75mm locking castors   |
| <b>FOOTSWITCH</b>        | Single                   | One on each side of the table  |
| <b>TABLE WIDTH</b>       | 610mm   660mm            | 710mm  |



## KEY SPECIFICATIONS

|                          |   |
|--------------------------|---|
| <b>ADJUSTMENTS</b>       | Backrest: +65°  |
| <b>SAFE WORKING LOAD</b> | 220kg   |
| <b>MOTOR</b>             | Lift force: 10,000N<br>Speed: 37mm/sec<br>Height adjustment (min to max): 487mm in 13 seconds<br>Speed test load: 180kg         |
| <b>FOOTSWITCH</b>        | Ergonomic low profile design (20mm)<br>Stainless steel<br>Pneumatic control   |
| <b>SHIPPING</b>          | 1930 x 730 x 720mm<br>125kg   |
| <b>WARRANTY</b>          | Structural: 15 years<br>Hardware: 5 years<br>Motor: 3 years<br>Footswitch: 1 year<br>Upholstery: To arrive in perfect condition |



Athlegen is a brand of  
Alevo Pty Ltd © 2019



All dimensions (shown in mm) and specifications are approximate and are subject to manufacturing tolerances.  
#201105

# Physiotherapy Range

## KEY FEATURES

| RANGE                               | VALUE-LIFT   |              | PRO-LIFT       |                   |                   |                   |
|-------------------------------------|--------------|--------------|----------------|-------------------|-------------------|-------------------|
|                                     | ABR          | TREATMENT    | ACCESS ABR     | TREATMENT 680     | TREATMENT 930     | TREATMENT ABR     |
| HEIGHT RANGE                        | 525 to 845mm | 530 to 825mm | 513 to 1000mm  | 475 to 962mm      | 513 to 1000mm     | 475 to 962mm      |
| TABLE LENGTH                        | 1890mm       | 1950mm       | 1860 to 2060mm | 1860mm            | 1860mm            | 1860mm            |
| TABLE WIDTH                         | 720mm        | 680mm        | 680 or 730mm   | 610, 660 or 710mm | 610, 660 or 710mm | 610, 660 or 710mm |
| MANUAL BACKREST                     | x            | x            | ●              | ●                 | ●                 | ●                 |
| LIFT-ASSIST BACKREST                | ●            | ●            | x              | x                 | x                 | x                 |
| MOTORISED BACKREST                  | x            | x            | ○              | x                 | x                 | x                 |
| ADJUSTABLE HEAD CRADLE & ARMREST    | x            | x            | ●              | x                 | x                 | x                 |
| ADJUSTABLE HEAD SECTION             | x            | x            | x              | ●                 | ●                 | x                 |
| LIFT-ASSIST ADJUSTABLE HEAD SECTION | x            | ●            | x              | x                 | x                 | x                 |
| FACE HOLE                           | ●            | ●            | x              | ●                 | ●                 | ○                 |
| SUPINE CUSHION                      | ●            | ●            | ○              | x                 | x                 | x                 |
| REMOVABLE PRONE ARMREST             | x            | x            | ○              | x                 | x                 | x                 |
| RAISING LEG SECTION                 | x            | x            | ○              | x                 | x                 | x                 |
| EXTENDABLE FOOTREST                 | x            | x            | ○              | x                 | x                 | x                 |
| BODY FILLER PADS                    | x            | x            | ○              | x                 | x                 | x                 |

## TOP SHAPE

|                    |   |   |   |   |   |   |
|--------------------|---|---|---|---|---|---|
| CONTOURED TOP      | x | x | ● | x | x | x |
| STRAIGHT-SIDED TOP | ● | ● | ○ | ● | ● | ● |

## UPHOLSTERY

| RANGE   | VALUE-LIFT | PRO-LIFT |
|---|------------|----------|
| EVOLVE PU OR ENCORE PVC                           | x          | ●        |
| ULTRA PU, ULTIMATE PVC OR GENUINE ITALIAN LEATHER | x          | ○        |
| SEMI-PU FABRIC                                    | ●          | x        |

## CUSHIONING

|   |   |   |
|---|---|---|
| DUNLOP STANDARD                           | x | ● |
| DUNLOP ENDURO, LUXURA, FIRM OR ULTRA FIRM | x | ○ |
| IMPORTED CUSHIONING                       | ● | x |

## MOTOR

|                                |                     |                  |
|--------------------------------|---------------------|------------------|
| LIFT FORCE                     | 6,000N              | 10,000N          |
| SPEED                          | 12mm/sec            | 37mm/sec         |
| HEIGHT ADJUSTMENT (MIN TO MAX) | 295mm in 26 seconds | 487mm in 13 secs |
| SAFE WORKING LOAD              | 165kg               | 220kg            |

## SECONDARY MOTOR (ACCESS ABR)

|                   |          |
|-------------------|----------|
| LIFT FORCE        | 4,000N   |
| SPEED             | 11mm/sec |
| SAFE WORKING LOAD | 220kg    |

|                       |   |
|-----------------------|---|
| FOOTSWITCH            | ● |
| ADDITIONAL FOOTSWITCH | ○ |

## BASE STYLE

| RANGE  | VALUE-LIFT | PRO-LIFT |
|--|------------|----------|
| STANDARD BASE WITH IN-LINE WHEELS & LEVELLING FEET | x          | ●        |
| 75MM LOCKING CASTOR BASE                           | x          | ○        |
| LEVELLING FEET & RETRACTABLE WHEELS                | ●          | x        |

## WARRANTY

|  |                                |                                |
|--|--------------------------------|--------------------------------|
| STRUCTURAL                             | 5 years                        | 15 years                       |
| HARDWARE                               | 3 years                        | 5 years                        |
| MOTOR                                  | 2 years                        | 3 years                        |
| CONTROL BOX                            | 2 years                        | x                              |
| FOOTSWITCH                             | 2 years                        | 1 year                         |
| GAS STRUT                              | 2 years                        | x                              |
| UPHOLSTERY                             | To arrive in perfect condition | To arrive in perfect condition |
| MOTOR WARRANTY UPGRADE (5 OR 10 YEARS) | x                              | ○                              |

## OPTIONAL EXTRAS

DISPOSABLE FACE CRADLE COVERS  
DISPOSABLE TABLE COVER  
FITTED TERRY TOWELLING COVER  
LEG BOLSTER  
ADDITIONAL FOOTSWITCH

## KEY

● STANDARD  
○ OPTIONAL  
x NOT APPLICABLE

